

P A T E N T

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Jong-Ok KIM

Serial No. : N/A

Examiner: Unknown

Filed : Herewith

Group Art Unit: Unknown

For : STABPROOF AND BULLETPROOF PANEL

Docket No. : 17066/148/101

PRELIMINARY AMENDMENT

Assistant Commissioner  
for Patents  
Washington, D.C. 20231

CERTIFICATE UNDER 37 C.F.R. 1.10

The undersigned hereby certifies that this paper is being deposited in the United States Postal Service, "Express Mail Post Office to Addressee" having an Express Mail mailing label number of: EL 008 454 930 US, in an envelope addressed to Assistant Commissioner for Patents, Washington, D.C. 20231, on this 10<sup>th</sup> day of October, 2001.

By: 

Carolyn I. Erickson

Sir:

Please preliminarily amend Claim 3 of the enclosed patent application to read as follows:

IN THE CLAIMS

3. The stabproof and bulletproof panel according to claim 2, wherein said stabproof panel is composed of 60 to 65 wt % of the aromatic polyamide woven fabric, high density polyethylene woven fabric or similar high strength woven fabric, 1 to 2 wt % of the resinous bonding agent and 35 to 40 wt % of the sands.

Incorporated herein is amended Claim 3 as it reads after amendment. Please find enclosed herewith APPENDIX A reflecting amended Claim 3 using bracketing and underlining format.

Please charge any deficiencies or credit any over payment to Deposit Account 14-0620.

Respectfully submitted,

Jong-Ok KIM

By his attorney

Date October 9, 2001

Lawrence M. Nawrocki  
Lawrence M. Nawrocki  
Reg. No. 29,333  
NAWROCKI, ROONEY & SIVERTSON, P.A.  
Suite 401, Broadway Place East  
3433 Broadway St. N.E.  
Minneapolis, MN 55413  
(612) 331-1464

## APPENDIX A

3. (Amended) The stabproof and bulletproof panel according to claim [1 or] 2, wherein said stabproof panel [60] is composed of 60 to 65 wt % of the aromatic polyamide woven fabric [41], high density polyethylene woven fabric or similar high strength woven fabric, 1 to 2 wt % of the resinous bonding agent [61] and 35 to 40 wt % of the sands.